



















- Communication, 2009. RO-MAN 2009. The 18th IEEE International Symposium on*, pages 730–735, 27 2009-oct. 2 2009.
- [26] A. Murarka, S. Gulati, P. Beeson, and B. Kuipers. Towards a safe, low-cost, intelligent wheelchair. In *Workshop on Planning, Perception and Navigation for Intelligent Vehicles (PPNIV)*, pages 42–50. Citeseer, 2009.
- [27] J. J. Park. *Graceful Navigation for Mobile Robots in Dynamic and Uncertain Environments*. PhD thesis, University of Michigan – Ann Arbor, 2016.
- [28] J. J. Park, C. Johnson, and B. Kuipers. Robot navigation with model predictive equilibrium point control. In *IROS*, pages 4945–4952, 2012.
- [29] M. R. Petry, A. P. Moreira, B. M. Faria, and L. P. Reis. Intellwheels: intelligent wheelchair with user-centered design. In *e-Health Networking, Applications & Services (Healthcom), 2013 IEEE 15th International Conference on*, pages 414–418. IEEE, 2013.
- [30] S. Png and J. Pineau. Bayesian reinforcement learning for pomdp-based dialogue systems. In *Acoustics, Speech and Signal Processing (ICASSP), 2011 IEEE International Conference on*, pages 2156–2159, 2011.
- [31] M. Qadri and S. Ahmed. Voice controlled wheelchair using dsk tms320c6711. In *Signal Acquisition and Processing, 2009. ICSAP 2009. International Conference on*, pages 217–220. IEEE, 2009.
- [32] U. Qidwai and F. Ibrahim. Arabic speech-controlled wheelchair: A fuzzy scenario. In *Information Sciences Signal Processing and their Applications (ISSPA), 2010 10th International Conference on*, pages 153–156, 2010.
- [33] T. Röfer, C. Mandel, A. Lankenau, B. Gersdorf, and U. Frese. 15 years of rolland. In *Festschrift Dedicated to Bernd Krieg-Brückner on the Occasion of his 60th Birthday*, pages 255–272, 2009.
- [34] A. Ruíz-Serrano, R. Posada-Gómez, A. M. Sibaja, G. A. Rodríguez, B. Gonzalez-Sanchez, and O. Sandoval-Gonzalez. Development of a dual control system applied to a smart wheelchair, using magnetic and speech control. *Procedia Technology*, 7:158–165, 2013.
- [35] M. Scheutz. ADE - steps towards a distributed development and runtime environment for complex robotic agent architectures. *Applied Artificial Intelligence*, 20(4-5):275–304, 2006.
- [36] M. Scheutz, G. Briggs, R. Cantrell, E. Krause, T. Williams, and R. Veale. Novel mechanisms for natural human-robot interactions in the diarc architecture. In *Proceedings of AAAI Workshop on Intelligent Robotic Systems*, page forthcoming, 2013.
- [37] M. Schröder and J. Trouvain. The german text-to-speech synthesis system mary: A tool for research, development and teaching. *International Journal of Speech Technology*, 6(4):365–377, 2003.
- [38] S. A. M. S. Sheikh and D. R. Rotake. An evolutionary approach for smart wheelchair system. In *Communications and Signal Processing (ICCSP), 2015 International Conference on*, pages 1811–1815. IEEE, 2015.
- [39] A. Škraba, R. Stojanović, A. Zupan, A. Koložvari, and D. Kofjač. Speech-controlled cloud-based wheelchair platform for disabled persons. *Microprocessors and Microsystems*, 39(8):819–828, 2015.
- [40] S.-Y. Suk, H.-Y. Chung, and H. Kojima. Voice/non-voice classification using reliable fundamental frequency estimator for voice activated powered wheelchair control. In Y.-H. Lee, H.-N. Kim, J. Kim, Y. Park, L. Yang, and S. Kim, editors, *Embedded Software and Systems*, volume 4523 of *Lecture Notes in Computer Science*, pages 347–357. Springer Berlin / Heidelberg, 2007.
- [41] K. Sycara, M. Paolucci, M. Van Velsen, and J. Giampapa. The retsina mas infrastructure. *Autonomous agents and multi-agent systems*, 7(1-2):29–48, 2003.
- [42] Y. Tao, T. Wang, H. Wei, and D. Chen. A behavior control method based on hierarchical pomdp for intelligent wheelchair. In *Advanced Intelligent Mechatronics, 2009. AIM 2009. IEEE/ASME International Conference on*, pages 893–898. IEEE, 2009.
- [43] W. Walker, P. Lamere, P. Kwok, B. Raj, R. Singh, E. Gouvea, P. Wolf, and J. Woelfel. Sphinx-4: A flexible open source framework for speech recognition. 2004.
- [44] F. Wallam and M. Asif. Dynamic finger movement tracking and voice commands based smart wheelchair. *International Journal of Computer and Electrical Engineering*, 3(4):497, 2011.
- [45] H. Wang, T. Li, and F. Zheng. A Wheelchair Platform Controlled by A Multimodal Interface. In *2nd International Conference on Information Science and Control Engineering*, pages 587–590, 2015.
- [46] T. Williams, S. Acharya, S. Schreitter, and M. Scheutz. Situated open world reference resolution for human-robot dialogue. In *Proceedings of the 11th ACM/IEEE International Conference on Human-Robot Interaction*, 2016.
- [47] T. Williams, G. Briggs, B. Oosterveld, and M. Scheutz. Going beyond literal command-based instructions: Extending robotic natural language interaction capabilities. In *Proceedings of the 29th AAAI Conference on Artificial Intelligence*, 2015.
- [48] T. Williams, R. Cantrell, G. Briggs, P. Schermerhorn, and M. Scheutz. Grounding natural language references to unvisited and hypothetical locations. In *Proceedings of the 27th AAAI Conference on Artificial Intelligence*, July 2013.
- [49] T. Williams and M. Scheutz. Power: A domain-independent algorithm for probabilistic, open-world entity resolution. In *IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*, 2015.
- [50] T. Williams and M. Scheutz. A framework for resolving open-world referential expressions in distributed heterogeneous knowledge bases. In *Proceedings of the 30th AAAI Conference on Artificial Intelligence*, 2016.
- [51] T. Williams and M. Scheutz. Resolution of referential ambiguity using dempster-shafer theoretic pragmatics. In *AAAI Fall Symposium on AI and HRI*, 2016.