

REFERENCES

- [1] E. Amaldi, S. Coniglio, and S. Gualandi. 2010. Improving Cutting Plane Generation with 0-1 Inequalities by Bi-criteria Separation. In *Experimental Algorithms*, Paola Festa (Ed.). Springer Berlin Heidelberg, Berlin, Heidelberg, 266–275.
- [2] E. Amaldi, S. Coniglio, and S. Gualandi. 2014. Coordinated cutting plane generation via multi-objective separation. *Mathematical Programming* 143, 1 (2014), 87–110.
- [3] R. Aumann. 1974. Subjectivity and correlation in randomized strategies. *Journal of Mathematical Economics* 1, 1 (1974), 67–96.
- [4] S. Barman and K. Ligett. 2015. Finding Any Nontrivial Coarse Correlated Equilibrium Is Hard. In *Proceedings of the ACM Conference on Economics and Computation (EC)*. 815–816.
- [5] B. Basilio, A. Celli, G. De Nittis, and N. Gatti. 2017. Coordinating Multiple Defensive Resources in Patrolling Games with Alarm Systems. In *Proceedings of the 16th Conference on Autonomous Agents and MultiAgent Systems (AAMAS)*. 678–686.
- [6] N. Basilio, A. Celli, G. De Nittis, and N. Gatti. 2017. Team-maxmin equilibrium: efficiency bounds and algorithms. In *AAAI Conference on Artificial Intelligence (AAAI)*.
- [7] D. Bertsimas and J. N. Tsitsiklis. 1997. *Introduction to linear optimization*. Vol. 6. Athena Scientific Belmont.
- [8] J. R. S. Blair, D. Mutchler, and M. Lent. 1996. Perfect recall and pruning in games with imperfect information. *Computational Intelligence* 12, 1 (1996), 131–154.
- [9] N. Brown and T. Sandholm. 2017. Safe and nested subgame solving for imperfect-information games. In *Advances in Neural Information Processing Systems (NeurIPS)*. 689–699.
- [10] N. Brown and T. Sandholm. 2017. Superhuman AI for heads-up no-limit poker: Libratus beats top professionals. *Science* (2017), eaao1733.
- [11] A. Celli and N. Gatti. 2018. Computational Results for Extensive-Form Adversarial Team Games. In *AAAI Conference on Artificial Intelligence (AAAI)*.
- [12] S. Ceppi, N. Gatti, G. Patrini, and M. Rocco. 2010. Local search techniques for computing equilibria in two-player general-sum strategic-form games. In *Proceedings of the 9th International Conference on Autonomous Agents and Multiagent Systems (AAMAS)*. 1469–1470.
- [13] N. Cesa-Bianchi and G. Lugosi. 2006. *Prediction, learning, and games*. Cambridge university press.
- [14] S. Coniglio and M. Tieves. 2015. On the Generation of Cutting Planes which Maximize the Bound Improvement. In *Experimental Algorithms*, Evripidis Bampis (Ed.). Springer International Publishing, 97–109.
- [15] S. Dughmi and H. Xu. 2016. Algorithmic Bayesian persuasion. In *ACM STOC*. ACM, 412–425.
- [16] G. Farina, A. Celli, N. Gatti, and T. Sandholm. 2018. Ex ante coordination and collusion in zero-sum multi-player extensive-form games. In *Advances in Neural Information Processing Systems (NeurIPS)*.
- [17] F. Forges. 1986. An approach to communication equilibria. *Econometrica* (1986), 1375–1385.
- [18] F. Forges. 1993. Five legitimate definitions of correlated equilibrium in games with incomplete information. *Theory and Decision* 35, 3 (01 Nov 1993), 277–310.
- [19] F. Forges. 2006. Correlated Equilibrium in Games with Incomplete Information Revisited. *Theory and Decision* 61, 4 (01 Dec 2006), 329–344.
- [20] N. Gatti, G. Patrini, M. Rocco, and T. Sandholm. 2012. Combining local search techniques and path following for bimatrix games. *arXiv preprint arXiv:1210.4858* (2012).
- [21] M. Grötschel, L. Lovász, and A. Schrijver. 1981. The ellipsoid method and its consequences in combinatorial optimization. *Combinatorica* 1, 2 (01 Jun 1981), 169–197.
- [22] K. A. Hansen, P. B. Miltersen, and T. B. Sørensen. 2007. Finding equilibria in games of no chance. In *International Computing and Combinatorics Conference*. Springer, 274–284.
- [23] S. Hart and A. Mas-Colell. 2000. A simple adaptive procedure leading to correlated equilibrium. *Econometrica* 68, 5 (2000), 1127–1150.
- [24] J. Hartline, V. Syrgkanis, and E. Tardos. 2015. No-regret learning in Bayesian games. In *Advances in Neural Information Processing Systems (NeurIPS)*. 3061–3069.
- [25] W. Huang and B. von Stengel. 2008. Computing an extensive-form correlated equilibrium in polynomial time. *Internet and Network Economics* (2008), 506–513.
- [26] A. X. Jiang and K. Leyton-Brown. 2015. Polynomial-time computation of exact correlated equilibrium in compact games. *Games and Economic Behavior* 91 (2015), 347–359.
- [27] E. Kamenica and M. Gentzkow. 2011. Bayesian persuasion. *AM ECON REV* 101, 6 (2011), 2590–2615.
- [28] L. G. Khachiyan. 1980. Polynomial algorithms in linear programming. *U. S. S. R. Comput. Math. and Math. Phys.* 20, 1 (1980), 53–72.
- [29] G. P. McCormick. 1976. Computability of global solutions to factorable nonconvex programs: Part I-Convex underestimating problems. *Mathematical programming* 10, 1 (1976), 147–175.
- [30] H. Moulin and J-P Vial. 1978. Strategically zero-sum games: the class of games whose completely mixed equilibria cannot be improved upon. *International Journal of Game Theory* 7, 3 (1978), 201–221.
- [31] R. B. Myerson. 1986. Multistage Games with Communication. *Econometrica* 54, 2 (1986), 323–358.
- [32] C. H. Papadimitriou and T. Roughgarden. 2008. Computing correlated equilibria in multi-player games. *Journal of the ACM (JACM)* 55, 3 (2008), 14.
- [33] S. M. Ross. 1971. Goofspiel—the game of pure strategy. *Journal of Applied Probability* 8, 3 (1971), 621–625.
- [34] T. Roughgarden. 2009. Intrinsic robustness of the price of anarchy. In *Proceedings of the forty-first annual ACM symposium on Theory of computing*. ACM, 513–522.
- [35] A. Saffidine, H. Finnsson, and M. Buro. 2012. Alpha-Beta Pruning for Games with Simultaneous Moves.. In *AAAI Conference on Artificial Intelligence (AAAI)*.
- [36] Y. Shoham and K. Leyton-Brown. 2009. *Multiagent systems: Algorithmic, game-theoretic, and logical foundations*. Cambridge University Press.
- [37] B. von Stengel. 1996. Efficient Computation of Behavior Strategies. *Games and Economic Behavior* 14, 2 (1996), 220 – 246.
- [38] B. von Stengel and F. Forges. 2008. Extensive-form correlated equilibrium: Definition and computational complexity. *Mathematics of Operations Research* 33, 4 (2008), 1002–1022.