

REFERENCES

- [1] S. V. Albrecht and S. Ramamoorthy. Are you doing what I think you are doing? criticising uncertain agent models. In *Proceedings of the Thirty-First Conference on Uncertainty in Artificial Intelligence*, pages 52–61, 2015.
- [2] O. Amir and Y. K. Gal. Plan recognition in virtual laboratories. In *Proceedings of IJCAI*, pages 2392–2397, 2011.
- [3] S. Branavan, N. Kushman, T. Lei, and R. Barzilay. Learning high-level planning from text. In *Proceedings of ACL-12*, 2012.
- [4] H. H. Bui. A general model for online probabilistic plan recognition. In *Proceedings of IJCAI*, pages 1309–1318, 2003.
- [5] P. R. Cohen, E. C. Kaiser, M. C. Buchanan, and S. L. et al. Sketch-thru-plan: a multimodal interface for command and control. *Commun. ACM*, 58(4):56–65, 2015.
- [6] X. Dong, A. Y. Halevy, J. Madhavan, E. Nemes, and J. Zhang. Similarity search for web services. In *(e)Proceedings of the Thirtieth International Conference on Very Large Data Bases*, pages 372–383, 2004.
- [7] X. Dong, A. Y. Halevy, J. Madhavan, E. Nemes, and J. Zhang. Similarity search for web services. In *Proceedings of VLDB*, pages 372–383, 2004.
- [8] C. W. Geib and R. P. Goldman. A probabilistic plan recognition algorithm based on plan tree grammars. *Artificial Intelligence*, 173(11):1101–1132, 2009.
- [9] C. W. Geib and M. Steedman. On natural language processing and plan recognition. In *IJCAI 2007, Proceedings of the 20th International Joint Conference on Artificial Intelligence, Hyderabad, India, January 6-12, 2007*, pages 1612–1617, 2007.
- [10] F. Kabanza, J. Fillion, A. R. Benaskeur, and H. Irandoust. Controlling the hypothesis space in probabilistic plan recognition. In *IJCAI*, 2013.
- [11] S. Kambhampati. Model-lite planning for the web age masses: The challenges of planning with incomplete and evolving domain models. In *Proceedings of the Twenty-Second AAI Conference on Artificial Intelligence*, pages 1601–1605, 2007.
- [12] S. Kambhampati. Model-lite planning for the web age masses: The challenges of planning with incomplete and evolving domain theories. In *Proceedings of AAI*, pages 1601–1605, 2007.
- [13] S. Kambhampati and K. Talamadupula. Human-in-the-loop planning and decision support. 2015. rakaposhi.eas.asu.edu/hilp-tutorial.
- [14] H. A. Kautz and J. F. Allen. Generalized plan recognition. In *Proceedings of AAI*, pages 32–37, 1986.
- [15] E. Kıcıman and M. Richardson. Towards decision support and goal achievement: Identifying action-outcome relationships from social media. In *Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pages 547–556. ACM, 2015.
- [16] N. Lesh and O. Etzioni. A sound and fast goal recognizer. In *IJCAI*, pages 1704–1710, 1995.
- [17] L. Manikonda, T. Chakraborti, S. De, K. Talamadupula, and S. Kambhampati. AI-MIX: using automated planning to steer human workers towards better crowdsourced plans. In *Proceedings of the Twenty-Eighth AAI Conference on Artificial Intelligence*, pages 3004–3009, 2014.
- [18] T. Mikolov, I. Sutskever, K. Chen, G. S. Corrado, and J. Dean. Distributed representations of words and phrases and their compositionality. In *NIPS*, pages 3111–3119, 2013.
- [19] A. Y. Ng, H. J. Kim, M. I. Jordan, and S. Sastry. Autonomous helicopter flight via reinforcement learning. In *Proceedings of NIPS-03*, 2003.
- [20] C. J. Petrie. Constrained decision revision. In *Proceedings of the 10th National Conference on Artificial Intelligence. San Jose, CA, July 12-16, 1992.*, pages 393–400, 1992.
- [21] M. Ramírez and H. Geffner. Plan recognition as planning. In *IJCAI 2009, Proceedings of the 21st International Joint Conference on Artificial Intelligence, Pasadena, California, USA, July 11-17, 2009*, pages 1778–1783, 2009.
- [22] M. Ramírez and H. Geffner. Plan recognition as planning. In *Proceedings of IJCAI*, pages 1778–1783, 2009.
- [23] M. Ramirez and H. Geffner. Probabilistic plan recognition using off-the-shelf classical planners. In *Proceedings of AAAI*, pages 1121–1126, 2010.
- [24] S. Saria and S. Mahadevan. Probabilistic plan recognition in multiagent systems. In *Proceedings of AAAI*, 2004.
- [25] M. D. Tuan Nguyen, Subbarao Kambhampati. Synthesizing robust plans under incomplete domain models. In *Proc. AAAI Workshop on Generalized Planning*, 2011.
- [26] Q. Yang, K. Wu, and Y. Jiang. Learning action models from plan examples using weighted MAX-SAT. *Artificial Intelligence Journal*, 171:107–143, February 2007.
- [27] Y. Zhang, S. Sreedharan, and S. Kambhampati. Capability models and their applications in planning. In *Proceedings of AAMAS*, pages 1151–1159, 2015.
- [28] H. H. Zhuo and L. Li. Multi-agent plan recognition with partial team traces and plan libraries. In *Proceedings of IJCAI*, pages 484–489, 2011.
- [29] H. H. Zhuo, T. A. Nguyen, and S. Kambhampati. Model-lite case-based planning. In *AAAI*, 2013.
- [30] H. H. Zhuo, Q. Yang, D. H. Hu, and L. Li. Learning complex action models with quantifiers and implications. *Artificial Intelligence*, 174(18):1540–1569, 2010.
- [31] H. H. Zhuo, Q. Yang, and S. Kambhampati. Action-model based multi-agent plan recognition. In *Proceedings of NIPS*, pages 377–385, 2012.