



















## REFERENCES

- [1] S. Agarwal, M. S. Kodialam, and T. V. Lakshman. 2013. Traffic engineering in software defined networks. In *Proc. 32nd IEEE International Conference on Computer Communications*. 2211–2219.
- [2] R.K. Ahuja, T.L. Magnanti, and J.B. Orlin. 1993. *Network flows: Theory, algorithms, and applications*. Prentice Hall Englewood Cliffs.
- [3] S. Almagor, G. Avni, and O. Kupferman. 2015. Automatic Generation of Quality Specifications. In *Proc. 26th Int. Conf. on Concurrency Theory*, Vol. 42. 325–339.
- [4] E. Anshelevich, A. Dasgupta, J. Kleinberg, E. Tardos, T. Wexler, and T. Roughgarden. 2008. The Price of Stability for Network Design with Fair Cost Allocation. *SIAM J. Comput.* 38, 4 (2008), 1602–1623.
- [5] T.H. Cormen, C.E. Leiserson, and R.L. Rivest. 1990. *Introduction to Algorithms*. MIT Press and McGraw-Hill.
- [6] E.A. Dinic. 1970. Algorithm for solution of a problem of maximum flow in a network with power estimation. *Soviet Math. Doll* 11, 5 (1970), 1277–1280. English translation by RF. Rinehart.
- [7] J. Edmonds and R.M. Karp. 1972. Theoretical improvements in algorithmic efficiency for network flow problems. *J. ACM* 19, 2 (1972), 248–264.
- [8] S. Even, A. Itai, and A. Shamir. 1976. On the Complexity of Timetable and Multicommodity Flow Problems. *SIAM J. Comput.* 5, 4 (1976), 691–703.
- [9] J. Feigenbaum, C.H. Papadimitriou, R. Sami, and S. Shenker. 2005. A BGP-based mechanism for lowest-cost routing. *Distributed Computing* 18, 1 (2005), 61–72.
- [10] L.R. Ford and D.R. Fulkerson. 1956. Maximal flow through a network. *Canadian journal of Mathematics* 8, 3 (1956), 399–404.
- [11] L.R. Ford and D.R. Fulkerson. 1962. *Flows in networks*. Princeton Univ. Press, Princeton.
- [12] A.V. Goldberg, É. Tardos, and R.E. Tarjan. 1989. *Network flow algorithms*. Technical Report. DTIC Document.
- [13] A.V. Goldberg and R.E. Tarjan. 1988. A new approach to the maximum-flow problem. *J. ACM* 35, 4 (1988), 921–940.
- [14] E. Kalai and E. Zemel. 1982. Totally balanced games and games of flow. *Mathematics of Operations Research* 7, 3 (1982), 476–478.
- [15] E. Koutsoupias and C. Papadimitriou. 2009. Worst-case equilibria. *Computer Science Review* 3, 2 (2009), 65–69.
- [16] O. Kupferman, G. Vardi, and M.Y. Vardi. 2017, to appear. Flow Games. In *Proc. 37th Conf. on Foundations of Software Technology and Theoretical Computer Science*.
- [17] O. Lichtenstein and A. Pnueli. 1985. Checking that Finite State Concurrent Programs Satisfy their Linear Specification. In *Proc. 12th ACM Symp. on Principles of Programming Languages*. 97–107.
- [18] J.F. Nash. 1950. Equilibrium points in n-person games. In *Proceedings of the National Academy of Sciences of the United States of America*.
- [19] N. Nisan, T. Roughgarden, E. Tardos, and V.V. Vazirani. 2007. *Algorithmic Game Theory*. Cambridge University Press.
- [20] C. H. Papadimitriou. 2001. Algorithms, games, and the Internet. In *Proc. 33rd ACM Symp. on Theory of Computing*. 749–753.
- [21] A. Pnueli and R. Rosner. 1989. On the Synthesis of a Reactive Module. In *Proc. 16th ACM Symp. on Principles of Programming Languages*. 179–190.
- [22] É. Tardos. 1985. A strongly polynomial minimum cost circulation algorithm. *Combinatorica* 5, 3 (1985), 247–255.
- [23] S. Vissicchio, L. Vanbever, and O. Bonaventure. 2014. Opportunities and research challenges of hybrid software defined networks. *Computer Communication Review* 44, 2 (2014), 70–75.