





**REFERENCES**

- [1] Ahmed Abdelghany, Khaled Abdelghany, Hani Mahmassani, and Wael Alhalabi. 2014. Modeling framework for optimal evacuation of large-scale crowded pedestrian facilities. *European Journal of Operational Research* 237, 3 (2014), 1105–1118.
- [2] Stefania Bandini, Luca Crociani, and Giuseppe Vizzari. 2017. An Approach for Managing Heterogeneous Speed Profiles in Cellular Automata Pedestrian Models. *Journal of Cellular Automata* 12, 5 (2017), 401–421.
- [3] Dietrich Braess, Anna Nagurney, and Tina Wakolbinger. 2005. On a Paradox of Traffic Planning. *Transportation Science* (2005).
- [4] Luca Crociani and Gregor Lämmel. 2016. Multidestination Pedestrian Flows in Equilibrium: A Cellular Automaton-Based Approach. *Computer-Aided Civil and Infrastructure Engineering* 31, 6 (2016), 432–448.
- [5] Luca Crociani, Andrea Piazzoni, Giuseppe Vizzari, and Stefania Bandini. 2015. When reactive agents are not enough: Tactical level decisions in pedestrian simulation. *Intelligenza Artificiale* 9, 2 (2015), 163–177.
- [6] Luca Crociani, Giuseppe Vizzari, Daichi Yanagisawa, Katsuhiko Nishinari, and Stefania Bandini. 2016. Route choice in pedestrian simulation: Design and evaluation of a model based on empirical observations. *Intelligenza Artificiale* 10, 2 (2016), 163–182.
- [7] Edward T. Hall. 1966. *The hidden dimension*. Doubleday New York Ed.
- [8] A. U. Kemloh Wagoum, A. Seyfried, and S. Holl. 2012. Modelling dynamic route choice of pedestrians to assess the criticality of building evacuation. *Advances in Complex Systems* 15, 07 (2012), 15. arXiv:1103.4080