

REFERENCES

- [1] Alexandre Alahi, Kratharth Goel, Vignesh Ramanathan, Alexandre Robicquet, Li Fei-Fei, and Silvio Savarese. 2016. Social lstm: Human trajectory prediction in crowded spaces. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*. IEEE, 961–971.
- [2] Malte Aschermann, Philipp Kraus, and Jörg P. Müller. 2017. LightJason: A BDI Framework inspired by Jason. In *Multi-Agent Systems and Agreement Technologies: 14th Europ. Conf., EUMAS 2016 (LNCS)*, Vol. 10207. Springer, 58–66. <https://lightjason.github.io>
- [3] Stefania Bandini, Luca Crociani, and Giuseppe Vizzari. 2017. An Approach for Managing Heterogeneous Speed Profiles in Cellular Automata Pedestrian Models. *Journal of Cellular Automata* 12, 5 (2017).
- [4] Hao Cheng, Yao Li, and Monika Sester. 2019. Pedestrian Group Detection in Shared Space. In *2019 IEEE Intelligent Vehicles Symposium (IV)*. IEEE, 1707–1714.
- [5] Hao Cheng and Monika Sester. 2018. Mixed Traffic Trajectory Prediction Using LSTM-Based Models in Shared Space. In *The Annual International Conference on Geographic Information Science*. Springer, 309–325.
- [6] Hao Cheng and Monika Sester. 2018. Modeling mixed traffic in shared space using lstm with probability density mapping. In *2018 21st International Conference on Intelligent Transportation Systems (ITSC)*. IEEE, 3898–3904.
- [7] Arthur Choi, Ruo Cheng Wang, and Adnan Darwiche. 2019. On the Relative Expressiveness of Bayesian and neural networks. *International Journal of Approximate Reasoning* (2019).
- [8] Emma Clarke. 2006. Shared Space: the alternative approach to calming traffic. *Traffic Engineering & Control* 47, 8 (2006), 290–292.
- [9] Martin Ester, Hans-Peter Kriegel, Jörg Sander, Xiaowei Xu, et al. 1996. A density-based algorithm for discovering clusters in large spatial databases with noise.. In *Kdd*, Vol. 96. AAAI, 226–231.
- [10] Agrim Gupta, Justin Johnson, Li Fei-Fei, Silvio Savarese, and Alexandre Alahi. 2018. Social gan: Socially acceptable trajectories with generative adversarial networks. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*. IEEE, 2255–2264.
- [11] Ben Hamilton-Baillie. 2008. Shared space: Reconciling people, places and traffic. *Built environment* 34, 2 (2008), 161–181.
- [12] John C Hayward. 1972. Near miss determination through use of a scale of danger. In *51st Annual Meeting of the Highway Research Board*. Highway Research Board, 24–34.
- [13] Dirk Helbing and Peter Molnar. 1995. Social force model for pedestrian dynamics. *Physical review E* 51, 5 (1995), 4282.
- [14] Zhiting Hu, Xuezhe Ma, Zhengzhong Liu, Eduard Hovy, and Eric Xing. 2016. Harnessing deep neural networks with logic rules. *arXiv preprint arXiv:1603.06318* (2016).
- [15] Boris Ivanovic, Edward Schmerling, Karen Leung, and Marco Pavone. 2018. Generative modeling of multimodal multi-human behavior. In *2018 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE, 3088–3095.
- [16] Fatema T Johora and Jörg P Müller. 2018. Modeling Interactions of Multimodal Road Users in Shared Spaces. In *2018 21st International Conference on Intelligent Transportation Systems (ITSC)*. IEEE, 3568–3574.
- [17] Yann LeCun, Yoshua Bengio, and Geoffrey Hinton. 2015. Deep learning. *nature* 521, 7553 (2015), 436.
- [18] Namhoon Lee, Wngun Choi, Paul Vernaza, Christopher B Choy, Philip HS Torr, and Manmohan Chandraker. 2017. Desire: Distant future prediction in dynamic scenes with interacting agents. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*. IEEE, 336–345.
- [19] James R Munkres. 2000. *Topology*. Prentice Hall.
- [20] Kai Nagel and Michael Schreckenberg. 1992. A cellular automaton model for freeway traffic. *Journal de physique I* 2, 12 (1992), 2221–2229.
- [21] F Pascucci, N Rinke, C Schiermeyer, V Berkahn, and B Friedrich. 2017. A discrete choice model for solving conflict situations between pedestrians and vehicles in shared space. *arXiv preprint arXiv:1709.09412* (2017).
- [22] Dino Pedreschi, Fosca Giannotti, Riccardo Guidotti, Anna Monreale, Salvatore Ruggieri, and Franco Turini. 2019. Meaningful explanations of black box AI decision systems. In *Proceedings of the AAAI Conference on Artificial Intelligence*, Vol. 33. AAAI, 9780–9784.
- [23] N Rinke, C Schiermeyer, F Pascucci, V Berkahn, and B Friedrich. 2017. A multi-layer social force approach to model interactions in shared spaces using collision prediction. *Transportation Research Procedia* 25 (2017), 1249–1267.
- [24] Amir Sadeghian, Vineet Kosaraju, Ali Sadeghian, Noriaki Hirose, Hamid Reza Tofighi, and Silvio Savarese. 2019. Sophie: An attentive gan for predicting paths compliant to social and physical constraints. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*. IEEE, 1349–1358.
- [25] Jürgen Schmidhuber. 2015. Deep learning in neural networks: An overview. *Neural networks* 61 (2015), 85–117.
- [26] Robert Schönauer. 2017. *A Microscopic Traffic Flow Model for Shared Space*. Ph.D. Dissertation. Graz University of Technology.
- [27] Kota Yamaguchi, Alexander C Berg, Luis E Ortiz, and Tamara L Berg. 2011. Who are you with and where are you going?. In *Computer Vision and Pattern Recognition (CVPR), 2011 IEEE Conference on*. IEEE, 1345–1352.
- [28] Dongfang Yang, Linhui Li, Keith Redmill, and Ümit Özgüner. 2019. Top-view trajectories: A pedestrian dataset of vehicle-crowd interaction from controlled experiments and crowded campus. In *2019 IEEE Intelligent Vehicles Symposium (IV)*. IEEE, 899–904.
- [29] Dongfang Yang, Ümit Özgüner, and Keith Redmill. 2018. Social force based microscopic modeling of vehicle-crowd interaction. In *2018 IEEE Intelligent Vehicles Symposium (IV)*. IEEE, 1537–1542.