

- (2014), 268–304.
- [2] Shaull Almagor, Dmitry Chistikov, Joël Ouaknine, and James Worrell. 2018. O-Minimal Invariants for Linear Loops. In *45th International Colloquium on Automata, Languages, and Programming (ICALP 2018)*. Schloss Dagstuhl-Leibniz-Zentrum fuer Informatik.
 - [3] Rajeev Alur, Costas Courcoubetis, Nicolas Halbwachs, Thomas A Henzinger, P-H Ho, Xavier Nicollin, Alfredo Olivero, Joseph Sifakis, and Sergio Yovine. 1995. The algorithmic analysis of hybrid systems. *Theoretical computer science* 138, 1 (1995), 3–34.
 - [4] R. Bartak, J. Svancara, and M. Vlk. 2018. A Scheduling-Based Approach to Multi-Agent Path Finding with Weighted and Capacitated Arcs. In *Proceedings of the International Joint Conference on Autonomous Agents and Multiagent Systems (AAMAS)*. 748–756.
 - [5] RW Brockett. 1990. Formal languages for motion description and map making. *Robotics* 41 (1990), 181–191.
 - [6] Liron Cohen and Sven Koenig. 2016. Bounded Suboptimal Multi-Agent Path Finding Using Highways. In *IJCAI*. 3978–3979.
 - [7] L. Cohen, S. Koenig, S. Kumar, G. Wagner, H. Choset, D. Chan, and N. Sturtevant. 2018. Rapid Randomized Restarts for Multi-Agent Path Finding: Preliminary Results. In *Proceedings of the International Joint Conference on Autonomous Agents and Multiagent Systems (AAMAS)*. 1909–1911.
 - [8] Marek Cygan, Dániel Marx, Marcin Pilipczuk, and Michał Pilipczuk. 2013. The planar directed k -vertex-disjoint paths problem is fixed-parameter tractable. In *2013 IEEE 54th Annual Symposium on Foundations of Computer Science*. IEEE, 197–206.
 - [9] Bruce Donald, Patrick Xavier, John Canny, John Canny, John Reif, and John Reif. 1993. Kinodynamic motion planning. *Journal of the ACM (JACM)* 40, 5 (1993), 1048–1066.
 - [10] Filip Karlo Došilović, Mario Brčić, and Nikica Hlupić. 2018. Explainable artificial intelligence: A survey. In *2018 41st International convention on information and communication technology, electronics and microelectronics (MIPRO)*. IEEE, 0210–0215.
 - [11] Rebecca Eifler, Michael Cashmore, Jörg Hoffmann, Daniele Magazzeni, and Marcel Steinmetz. 2019. Explaining the space of plans through plan-property dependencies. In *Proceedings of the 2nd Workshop on Explainable Planning (XAI 2019)*.
 - [12] Ariel Felner, Meir Goldenberg, Guni Sharon, Roni Stern, Tal Beja, Nathan Sturtevant, Jonathan Schaeffer, and Robert Holte. 2012. Partial-expansion A^* with selective node generation. In *Twenty-Sixth AAAI Conference on Artificial Intelligence*.
 - [13] A. Felner, R. Stern, E. Shimony, M. Goldenberg, G. Sharon, N. Sturtevant, G. Wagner, and P. Surynek. 2017. Search-Based Optimal Solvers for the Multi-Agent Pathfinding Problem: Summary and Challenges. In *Proceedings of the Symposium on Combinatorial Search (SoCS)*. 28–37.
 - [14] Steven Fortune, John Hopcroft, and James Wyllie. 1980. The directed subgraph homeomorphism problem. *Theoretical Computer Science* 10, 2 (1980), 111–121.
 - [15] Maria Fox, Derek Long, and Daniele Magazzeni. 2017. Explainable Planning. In *Explainable planning*. International Joint Conferences on Artificial Intelligence.
 - [16] Meir Goldenberg, Ariel Felner, Roni Stern, Guni Sharon, and Jonathan Schaeffer. 2012. A^* variants for optimal multi-agent pathfinding. In *Workshops at the Twenty-Sixth AAAI Conference on Artificial Intelligence*.
 - [17] D Gunning. 2016. *Explainable Artificial Intelligence (XAI) DARPA-BAA-16-53*. Technical Report. Technical report, Defense Advanced Research Projects Agency (DARPA).
 - [18] David H Hubel and Torsten N Wiesel. 1959. Receptive fields of single neurones in the cat's striate cortex. *The Journal of physiology* 148, 3 (1959), 574–591.
 - [19] Subbarao Kambhampati. 2019. Synthesizing explainable behavior for human-AI collaboration. In *Proceedings of the 18th International Conference on Autonomous Agents and MultiAgent Systems*. International Foundation for Autonomous Agents and Multiagent Systems, 1–2.
 - [20] Marius Kloetzer and Calin Belta. 2008. A fully automated framework for control of linear systems from temporal logic specifications. *IEEE Trans. Automat. Control* 53, 1 (2008), 287–297.
 - [21] Athanasios Krontiris, Qandeel Sajid, and Kostas E Bekris. 2012. Towards using discrete multiagent pathfinding to address continuous problems. In *Workshops at the Twenty-Sixth AAAI Conference on Artificial Intelligence*.
 - [22] Morteza Lahijanian, M. Kloetzer, S. Itani, C. Belta, and S.B. Andersson. 2009. Automatic deployment of autonomous cars in a robotic urban-like environment (RULE). In *In Proceedings of the 2009 IEEE International Conference on Robotics and Automation*. Kobe, Japan, 2055–2060.
 - [23] Sebastian Lapuschkin, Stephan Wäldchen, Alexander Binder, Grégoire Montavon, Wojciech Samek, and Klaus-Robert Müller. 2019. Unmasking Clever Hans predictors and assessing what machines really learn. *Nature communications* 10, 1 (2019), 1096.
 - [24] H. Ma, D. Harabor, P. Stuckey, J. Li, and S. Koenig. 2019. Searching with Consistent Prioritization for Multi-Agent Path Finding. In *Proceedings of the AAAI Conference on Artificial Intelligence (AAAI)*. (in print).
 - [25] Matthias Middendorf and Frank Pfeiffer. 1993. On the complexity of the disjoint paths problem. *Combinatorica* 13, 1 (1993), 97–107.
 - [26] Bruce A Reed, Neil Robertson, Alexander Schrijver, and Paul D Seymour. 1993. Finding disjoint trees in planar graphs in linear time. *Contemp. Math.* 147 (1993), 295–295.
 - [27] Alexander Schrijver. 1994. Finding k disjoint paths in a directed planar graph. *SIAM J. Comput.* 23, 4 (1994), 780–788.
 - [28] Daniel Kornhauser Gary Miller Paul Spiralis. 1984. COORDINATING PEBBLE MOTION ON n GRAPHS, THE DIAMETER OF PERMUTATION GROUPS, AND APPLICATIONS. (1984).
 - [29] Trevor Scott Standley. 2010. Finding optimal solutions to cooperative pathfinding problems. In *Twenty-Fourth AAAI Conference on Artificial Intelligence*.
 - [30] Roni Stern, Nathan R. Sturtevant, Dor Atzmon, Thayne Walker, Jiaoyang Li, Liron Cohen, Hang Ma, T. K. Satish Kumar, Ariel Felner, and Sven Koenig. 2019. Multi-Agent Pathfinding: Definitions, Variants, and Benchmarks. *Symposium on Combinatorial Search (SoCS)* (2019), 151–158.
 - [31] Pavel Surynek. 2012. Towards optimal cooperative path planning in hard setups through satisfiability solving. In *Pacific Rim International Conference on Artificial Intelligence*. Springer, 564–576.
 - [32] Pavel Surynek, Ariel Felner, Roni Stern, and Eli Boyarski. 2016. Boolean satisfiability approach to optimal multi-agent path finding under the sum of costs objective. In *Proceedings of the 2016 International Conference on Autonomous Agents & Multiagent Systems*. International Foundation for Autonomous Agents and Multiagent Systems, 1435–1436.
 - [33] P. Surynek, A. Felner, R. Stern, and E. Boyarski. 2016. An Empirical Comparison of the Hardness of Multi-Agent Path Finding under the Makespan and the Sum of Costs Objectives. In *Proceedings of the Symposium on Combinatorial Search (SoCS)*. 145–147.
 - [34] Pavel Surynek, Jiří Svancara, Ariel Felner, and Eli Boyarski. 2017. Integration of independence detection into sat-based optimal multi-agent path finding-A novel sat-based optimal MAPF solver. In *International Conference on Agents and Artificial Intelligence*, Vol. 2. SCITEPRESS, 85–95.
 - [35] Shiming Tang, Tai Sing Lee, Ming Li, Yimeng Zhang, Yue Xu, Fang Liu, Benjamin Teo, and Hongfei Jiang. 2018. Complex pattern selectivity in macaque primary visual cortex revealed by large-scale two-photon imaging. *Current Biology* 28, 1 (2018), 38–48.
 - [36] Jiangxing Wang, Jiaoyang Li, Hang Ma, Sven Koenig, and TK Kumar. 2019. A New Constraint Satisfaction Perspective on Multi-Agent Path Finding: Preliminary Results. In *Proceedings of the 18th International Conference on Autonomous Agents and MultiAgent Systems*. International Foundation for Autonomous Agents and Multiagent Systems, 2253–2255.