

REFERENCES

- [1] Milica Andelić, Enide Andrade, Domingos M. Cardoso, Carlos M. da Fonseca, Slobodan K. Simić, and Dejan V. Tošić. 2015. Some new considerations about double nested graphs. *Linear Algebra Appl.* 483 (2015), 323 – 341.
- [2] Denis Bouyssou. 2004. Monotonicity of ‘ranking by choosing’: A progress report. *Social Choice and Welfare* 23, 2 (2004), 249–273.
- [3] Sándor Bozóki, László Csató, and József Temesi. 2016. An application of incomplete pairwise comparison matrices for ranking top tennis players. *European Journal of Operational Research* 248, 1 (2016), 211–218.
- [4] Ralph Allan Bradley and Milton E. Terry. 1952. Rank Analysis of Incomplete Block Designs: I. The Method of Paired Comparisons. *Biometrika* 39, 3/4 (1952), 324–345.
- [5] Felix Brandt, Markus Brill, Paul Harrenstein, and Hervé Moulin. 2016. Tournament Solutions. In *Handbook of Computational Social Choice*, Felix Brandt, Vincent Conitzer, Ulle Endriss, Jérôme Lang, and Ariel D. Procaccia (Eds.). Cambridge University Press, 57–84.
- [6] David Cook II. 2015. Nested colorings of graphs. *Australasian Journal of Combinatorics* 62, 1 (2015), 100–127.
- [7] László Csató. 2019. An impossibility theorem for paired comparisons. *Central European Journal of Operations Research* 27, 2 (2019), 497–514.
- [8] Paul Denny, John Hamer, Andrew Luxton-Reilly, and Helen Purchase. 2008. PeerWise: Students Sharing Their Multiple Choice Questions. In *Proceedings of the Fourth International Workshop on Computing Education Research (ICER '08)*. ACM, New York, 51–58.
- [9] Pål Grønås Drange, Markus Sortland Dregi, Daniel Lokshtanov, and Blair D. Sullivan. 2015. On the threshold of intractability. In *Algorithms-ESA 2015*. Springer, 411–423.
- [10] Edith Elkind and Arkadii Slinko. 2016. Rationalizations of voting rules. In *Handbook of Computational Social Choice*, Felix Brandt, Vincent Conitzer, Ulle Endriss, Jérôme Lang, and Ariel D. Procaccia (Eds.). Cambridge University Press, 169–196.
- [11] Patricia Everaere, Sebastien Konieczny, and Pierre Marquis. 2020. Belief Merging Operators as Maximum Likelihood Estimators. In *Proceedings of the Twenty-Ninth International Joint Conference on Artificial Intelligence, IJCAI-20*, Christian Bessiere (Ed.). International Joint Conferences on Artificial Intelligence Organization, 1763–1769.
- [12] Alban Galland, Serge Abiteboul, Amélie Marian, and Pierre Senellart. 2010. Corroborating Information from Disagreeing Views. In *Proceedings of the Third ACM International Conference on Web Search and Data Mining (WSDM '10)*. ACM, New York, 131–140.
- [13] Ebrahim Ghorbani. 2017. Some spectral properties of chain graphs. (2017). arXiv:math.CO/1703.03581
- [14] Julio González-Díaz, Ruud Hendrickx, and Edwin Lohmann. 2014. Paired comparisons analysis: an axiomatic approach to ranking methods. *Social Choice and Welfare* 42, 1 (2014), 139–169.
- [15] Yang Jiao, R Ravi, and Wolfgang Gatterbauer. 2017. Algorithms for automatic ranking of participants and tasks in an anonymized contest. In *International Workshop on Algorithms and Computation*. Springer, 335–346.
- [16] Yaliang Li, Jing Gao, Chuishi Meng, Qi Li, Lu Su, Bo Zhao, Wei Fan, and Jiawei Han. 2016. A Survey on Truth Discovery. *SIGKDD Explor. Newsl.* 17, 2 (Feb. 2016), 1–16.
- [17] Assaf Natanzon, Ron Shamir, and Roded Sharan. 2000. A polynomial approximation algorithm for the minimum fill-in problem. *SIAM J. Comput.* 30, 4 (2000), 1067–1079.
- [18] Assaf Natanzon, Ron Shamir, and Roded Sharan. 2001. Complexity classification of some edge modification problems. *Discrete Applied Mathematics* 113, 1 (2001), 109–128.
- [19] Catherine Olsson, Surya Bhupatiraju, Tom Brown, Augustus Odena, and Ian Goodfellow. 2018. Skill Rating for Generative Models. (2018). arXiv:stat.ML/1808.04888
- [20] Ariel Rubinstein. 1980. Ranking the participants in a tournament. *SIAM J. Appl. Math.* 38, 1 (1980), 108–111.
- [21] Joseph Singleton and Richard Booth. 2020. An Axiomatic Approach to Truth Discovery. In *Proceedings of the 19th International Conference on Autonomous Agents and MultiAgent Systems (AAMAS '20)*. International Foundation for Autonomous Agents and Multiagent Systems, Richland, SC, 2011–2013.
- [22] Joseph Singleton and Richard Booth. 2021. Rankings for Bipartite Tournaments via Chain Editing. (2021). arXiv:cs.MA/2101.02476
- [23] Giora Slutzki and Oscar Volij. 2005. Ranking participants in generalized tournaments. *International Journal of Game Theory* 33, 2 (2005), 255–270.
- [24] Giora Slutzki and Oscar Volij. 2006. Scoring of web pages and tournaments—axiomatizations. *Social Choice and Welfare* 26, 1 (2006), 75–92.
- [25] Dong Wang, Lance Kaplan, Hieu Le, and Tarek Abdelzaher. 2012. On Truth Discovery in Social Sensing: A Maximum Likelihood Estimation Approach. In *Proceedings of the 11th International Conference on Information Processing in Sensor Networks (IPSN '12)*. ACM, New York, 233–244.
- [26] Mihalis Yannakakis. 1981. Computing the minimum fill-in is NP-complete. *SIAM Journal on Algebraic Discrete Methods* 2, 1 (1981), 77–79.