





**REFERENCES**

- [1] Yuying Chen, Congcong Liu, Bertram E Shi, and Ming Liu. 2020. Robot navigation in crowds by graph convolutional networks with attention learned from human gaze. *IEEE Robotics and Automation Letters* 5, 2 (2020), 2754–2761.
- [2] Hamed Fazlollahab and Mohammad Saidi-Mehrabad. 2015. *Autonomous guided vehicles*. Vol. 20. Springer.
- [3] Jon Feldman and Matthias Ruhl. 2006. The directed Steiner network problem is tractable for a constant number of terminals. *SIAM J. Comput.* 36, 2 (2006), 543–561.
- [4] Sriram Gopalakrishnan and Subbarao Kambhampati. 2020. Minimizing Robot Navigation-Graph For Position-Based Predictability By Humans. *arXiv preprint arXiv:2010.15255* (2020). <https://arxiv.org/pdf/2010.15255.pdf>
- [5] Thibault Kruse, Amit Kumar Pandey, Rachid Alami, and Alexandra Kirsch. 2013. Human-aware robot navigation: A survey. *Robotics and Autonomous Systems* 61, 12 (2013), 1726–1743.
- [6] Peter Trautman and Andreas Krause. 2010. Unfreezing the robot: Navigation in dense, interacting crowds. In *2010 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 797–803.
- [7] Dizan Vasquez, Billy Okal, and Kai O Arras. 2014. Inverse reinforcement learning algorithms and features for robot navigation in crowds: an experimental comparison. In *2014 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, 1341–1346.