

REFERENCES

- [1] M. Avellaneda and S. Stoikov. 2008. High-frequency trading in a limit order book. *Quantitative Finance* 8, 3 (2008), 217–224. <https://doi.org/10.1080/14697680701381228>
- [2] J. Ba, J. Kiros, and G. Hinton. 2016. Layer Normalization. (2016). arXiv:1607.06450 <http://arxiv.org/abs/1607.06450>.
- [3] K. He, X. Zhang, S. Ren, and J. Sun. 2016. Deep residual learning for image recognition. In *Proc. of IEEE CVPR*. 770–778. <https://doi.org/10.1109/CVPR.2016.90>
- [4] M. Hirano, K. Izumi, H. Matsushima, and H. Sakaji. 2020. Comparing Actual and Simulated HFT Traders' Behavior for Agent Design. *J. of Artificial Societies and Social Simulation* 23, 3 (2020), 6. <https://doi.org/10.18564/jasss.4304>
- [5] M. Hirano, H. Matsushima, K. Izumi, and H. Sakaji. 2020. STBM : Stochastic Trading Behavior Model for Financial Markets Based on Long Short-Term Memory. In *34th Annu. Conf. of Japanese Soc. for Artificial Intelligence*. Kumamoto, Kumamoto, Japan, 1K4–ES–2–04. https://doi.org/10.11517/pjsai,JSAI2020.0_1K4ES204
- [6] Go Hosaka. 2014. Analysis of High-frequency Trading at Tokyo Stock Exchange. (2014). https://www.jpx.co.jp/english/corporate/research-study/working-paper/b5b4pj000000i468-att/E_JPX_wp_No4.pdf
- [7] T. Torii, K. Izumi, and K. Yamada. 2015. Shock transfer by arbitrage trading: analysis using multi-asset artificial market. *Evolutionary and Institutional Economics Review* 12, 2 (2015), 395–412. <https://doi.org/10.1007/s40844-015-0024-z>
- [8] J. Uno, K. Goshima, and R. Tobe. 2018. Cluster Analysis of Trading Behavior: An Attempt to Extract HFT [in Japanese]. In *12th Annu. Conf. of Japanese Association of Behavioral Economics and Finance*.
- [9] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. Gomez, L. Kaiser, and I. Polosukhin. 2017. Attention is all you need. In *Advances in NeurIPS*. 5999–6009. arXiv:1706.03762 <http://arxiv.org/abs/1706.03762>