



















## REFERENCES

- [1] S. Agrawal and N. Goyal. Analysis of thompson sampling for the multi-armed bandit problem. In *Conference on learning theory*, pages 39–1. JMLR Workshop and Conference Proceedings, 2012.
- [2] P. Auer, N. Cesa-Bianchi, and P. Fischer. Finite-time analysis of the multiarmed bandit problem. *Mach. Learn.*, 47(2–3):235–256, May 2002. ISSN 0885-6125.
- [3] M. Babaioff, S. Dughmi, R. Kleinberg, and A. Slivkins. Dynamic pricing with limited supply. *ACM Trans. Econ. Comput.*, 3(1), Mar. 2015. ISSN 2167-8375.
- [4] A. Badanidiyuru, R. Kleinberg, and A. Slivkins. Bandits with knapsacks. *J. ACM*, 65(3), Mar. 2018. ISSN 0004-5411.
- [5] S. Bhat, S. Jain, S. Gujar, and Y. Narahari. An optimal bidimensional multi-armed bandit auction for multi-unit procurement, 2015.
- [6] L. Chen, J. Xu, and Z. Lu. Contextual combinatorial multi-armed bandits with volatile arms and submodular reward. In S. Bengio, H. Wallach, H. Larochelle, K. Grauman, N. Cesa-Bianchi, and R. Garnett, editors, *Advances in Neural Information Processing Systems*, volume 31. Curran Associates, Inc., 2018.
- [7] W. Chen, Y. Wang, and Y. Yuan. Combinatorial multi-armed bandit: General framework and applications. In S. Dasgupta and D. McAllester, editors, *Proceedings of the 30th International Conference on Machine Learning*, volume 28 of *Proceedings of Machine Learning Research*, pages 151–159. Atlanta, Georgia, USA, 17–19 Jun 2013. PMLR.
- [8] A. Deva, K. Abhishek, and S. Gujar. A multi-arm bandit approach to subset selection under constraints, 2021.
- [9] Y. Freund and R. E. Schapire. A Decision-Theoretic Generalization of On-Line Learning and an Application to Boosting. *J. Comput. Syst. Sci.*, 55(1):119–139, 1997.
- [10] G. Gao, J. Wu, M. Xiao, and G. Chen. Combinatorial multi-armed bandit based unknown worker recruitment in heterogeneous crowdsensing. In *IEEE INFOCOM 2020 - IEEE Conference on Computer Communications*, pages 179–188, 2020.
- [11] S. Jain and S. Gujar. A multiarmed bandit based incentive mechanism for a subset selection of customers for demand response in smart grids. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(02):2046–2053, Apr. 2020.
- [12] S. Jain, G. Ghalmi, S. Bhat, S. Gujar, and Y. Narahari. A deterministic mab mechanism for crowdsourcing with logarithmic regret and immediate payments. AAMAS '16, page 86–94, Richland, SC, 2016. International Foundation for Autonomous Agents and Multiagent Systems. ISBN 9781450342391.
- [13] S. Jain, S. Gujar, S. Bhat, O. Zoeter, and Y. Narahari. A quality assuring, cost optimal multi-armed bandit mechanism for expertsourcing. *Artificial Intelligence*, 254:44–63, 2018. ISSN 0004-3702.
- [14] E. Kaufmann, N. Korda, and R. Munos. Thompson sampling: An asymptotically optimal finite-time analysis. In *International conference on algorithmic learning theory*, pages 199–213. Springer, 2012.
- [15] R. Kleinberg. Notes from week 2: Prediction algorithms and zero-sum games, 2007.
- [16] R. Kleinberg, A. Slivkins, and E. Upfal. Multi-armed bandits in metric spaces. *CoRR*, abs/0809.4882, 2008. URL <http://arxiv.org/abs/0809.4882>.
- [17] R. Kleinberg, A. Niculescu-Mizil, and Y. Sharma. Regret bounds for sleeping experts and bandits. *Mach. Learn.*, 80(2–3):245–272, Sept. 2010. ISSN 0885-6125.
- [18] T. Lai and H. Robbins. Asymptotically efficient adaptive allocation rules. *Adv. Appl. Math.*, 6(1):4–22, Mar. 1985. ISSN 0196-8858.
- [19] L. Li, W. Chu, J. Langford, and R. E. Schapire. A contextual-bandit approach to personalized news article recommendation. *CoRR*, abs/1003.0146, 2010. URL <http://arxiv.org/abs/1003.0146>.
- [20] V. Q. T. Nhat, S. Stein, L. Tran-Thanh, and N. Jennings. What prize is right? how to learn the optimal structure for crowdsourcing contests. In A. Nayak and A. Sharma, editors, *PRICAI 2019: Trends in Artificial Intelligence*, volume 1160, pages 85–97. Springer, August 2019.
- [21] K. A. Sankararaman and A. Slivkins. Semi-bandits with knapsacks. *CoRR*, abs/1705.08110, 2017. URL <http://arxiv.org/abs/1705.08110>.
- [22] A. D. Sarma, S. Gujar, and Y. Narahari. Multi-armed bandit mechanisms for multi-slot sponsored search auctions, 2010.
- [23] Z. R. Shi, Z. S. Wu, R. Ghani, and F. Fang. Bandit data-driven optimization: AI for social good and beyond. *CoRR*, abs/2008.11707, 2020. URL <https://arxiv.org/abs/2008.11707>.
- [24] A. Singh, P. M. Reddy, S. Jain, and S. Gujar. Designing bounded min-knapsack bandits algorithm for sustainable demand response. In *Pacific Rim International Conference on Artificial Intelligence*, pages 3–17. Springer, 2021.
- [25] W. R. Thompson. On the likelihood that one unknown probability exceeds another in view of the evidence of two samples. *Biometrika*, 25(3/4):285–294, 1933.
- [26] L. Tran-Thanh, A. C. Chapman, E. M. de Cote, A. Rogers, and N. R. Jennings. Epsilon-first policies for budget-limited multi-armed bandits. In *AAAI*, 2010.
- [27] L. Tran-Thanh, A. C. Chapman, A. Rogers, and N. R. Jennings. Knapsack based optimal policies for budget-limited multi-armed bandits. *CoRR*, abs/1204.1909, 2012. URL <http://arxiv.org/abs/1204.1909>.
- [28] L. Tran-Thanh, S. Stein, A. Rogers, and N. Jennings. Efficient crowdsourcing of unknown experts using multi-armed bandits. volume 214, 08 2012.
- [29] L. Tran-Thanh, M. Venanzi, A. Rogers, and N. R. Jennings. Efficient budget allocation with accuracy guarantees for crowdsourcing classification tasks. In *Proceedings of the 2013 International Conference on Autonomous Agents and Multi-Agent Systems*, AAMAS '13, page 901–908, Richland, SC, 2013. International Foundation for Autonomous Agents and Multiagent Systems. ISBN 9781450319935.
- [30] F. Trovò, S. Paladino, M. Restelli, and N. Gatti. Budgeted multi-armed bandit in continuous action space. In *Proceedings of the Twenty-Second European Conference on Artificial Intelligence*, ECAI'16, page 560–568, NLD, 2016. IOS Press. ISBN 9781614996712.
- [31] S. Wang and W. Chen. Thompson sampling for combinatorial semi-bandits. In *International Conference on Machine Learning*, pages 5114–5122. PMLR, 2018.
- [32] Z. Wen, B. Kveton, and A. Ashkan. Efficient learning in large-scale combinatorial semi-bandits. In F. Bach and D. Blei, editors, *Proceedings of the 32nd International Conference on Machine Learning*, volume 37 of *Proceedings of Machine Learning Research*, pages 1113–1122, Lille, France, 07–09 Jul 2015. PMLR.
- [33] Y. Xia, T. Qin, W. Ding, H. Li, X. Zhang, N. Yu, and T.-Y. Liu. Finite budget analysis of multi-armed bandit problems. *Neurocomputing*, 258, 03 2017.
- [34] H. Xu, Y. Liu, W. C. Lau, and R. Li. Combinatorial multi-armed bandits with concave rewards and fairness constraints. In C. Bessiere, editor, *Proceedings of the Twenty-Ninth International Joint Conference on Artificial Intelligence, IJCAI-20*, pages 2554–2560. International Joint Conferences on Artificial Intelligence Organization, 7 2020. Main track.
- [35] H. Zhang, Y. Ma, and M. Sugiyama. Bandit-based task assignment for heterogeneous crowdsourcing. *CoRR*, abs/1507.05800, 2015. URL <http://arxiv.org/abs/1507.05800>.
- [36] D. P. Zhou and C. J. Tomlin. Budget-constrained multi-armed bandits with multiple plays, 2017.